

TVCC 2014-2018

Physical Resources Facilities Employee Survey

2014-2018 Physical Resources Facilities Employee Survey

Quality of Work Area	2014 Response		2015 Response		2016 Response		2017 Response		2018 Response		2014-2018 Avg Response	
	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg
Adequate size of work area/office	163	3.02	165	3.04	186	3.16	184	3.11	172	3.08	870	2.48
Appropriate location of work area/office	160	3.21	162	3.24	177	3.35	182	3.32	170	3.26	851	2.63
Adequate and appropriate work area/office equipment	161	3.14	163	3.08	177	3.24	179	3.23	171	3.15	851	2.54
Safety/security of work area/office	158	2.94	163	2.90	181	3.15	182	3.07	173	3.14	857	2.41
Cleanliness of work area/office	159	2.99	162	2.99	180	3.08	181	3.00	170	3.01	852	2.41
	801	3.06	815	3.05	901	3.20	908	3.15	856	3.13	4281	2.49

Quality of Classrooms	2014 Response		2015 Response		2016 Response		2017 Response		2018 Response		2014-2018 Avg Response	
	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg
Adequate number of classrooms	115	2.82	120	2.83	138	3.03	135	3.01	116	3.11	624	2.39
Appropriate location of classrooms	113	3.02	120	3.12	136	3.29	133	3.23	119	3.29	621	2.56
Adequate furnishings of classrooms	113	2.92	120	2.96	137	3.07	132	2.92	118	2.94	620	2.41
Adequate and appropriate classroom equipment	112	2.90	118	2.96	135	3.10	133	2.91	115	2.97	613	2.41
Safety/security of classrooms	114	2.79	119	2.71	137	2.96	132	2.91	120	2.95	622	2.30
Cleanliness of classrooms	115	2.97	121	3.00	142	3.11	132	2.87	121	3.07	631	2.42
	682	2.90	718	2.93	825	3.09	797	2.98	709	3.06	3731	2.41

Quality of Labs/Shops	2014 Response		2015 Response		2016 Response		2017 Response		2018 Response		2014-2018 Avg Response	
	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg
Adequate number of lab/shops	88	2.63	89	2.69	106	2.98	90	2.77	84	2.92	457	2.27
Appropriate size of lab/shops	86	2.70	89	2.78	104	2.97	90	2.83	83	2.89	452	2.31
Appropriate location of lab/shops	87	2.82	89	2.84	103	3.13	90	3.06	84	3.12	453	2.42
Adequate furnishings of lab/shops	87	2.69	88	2.73	102	2.95	89	2.84	83	2.92	449	2.29
Adequate and appropriate lab/shop equipment	84	2.62	87	2.68	100	2.97	88	2.83	83	3.00	442	2.26
Safety/security of lab/shops and equipment	84	2.76	87	2.71	104	3.04	90	2.92	83	2.95	448	2.34
Cleanliness of lab/shops and equipment	85	2.93	89	2.91	104	3.06	91	2.72	82	2.98	451	2.38
	601	2.74	618	2.76	723	3.01	628	2.85	582	2.97	3152	2.32

Scale
4 (Excellent) through 1 (Poor)

Response Counts exclude questions not answered or answered with "Don't Know/Don't Use"

2014-2018 Physical Resources Facilities Employee Survey

Quality of Parking	2014 Response		2015 Response		2016 Response		2017 Response		2018 Response		2014-2018 Avg Response	
	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg
Availability of faculty/staff parking	165	2.79	167	2.82	185	3.02	189	2.74	177	2.97	706	2.84
Availability of student parking	138	2.62	143	2.76	163	2.83	159	2.72	144	2.93	603	2.74
Safety/security in parking lots	156	2.57	163	2.49	180	2.74	179	2.69	173	2.92	678	2.63
	459	2.66	473	2.69	528	2.87	527	2.72	494	2.94	1987	2.74

Quality of Other Campus Areas	2014 Response		2015 Response		2016 Response		2017 Response		2018 Response		2014-2018 Avg Response	
	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg
Elevators	103	2.76	98	2.71	123	2.88	112	2.72	101	2.66	537	2.25
Cafeteria	97	3.06	101	2.92	118	2.92	114	2.97	112	2.95	542	2.35
Restrooms (including cleanliness)	157	2.62	162	2.73	181	2.67	182	2.61	176	2.79	858	2.11
Study Areas (Library, Cardinal Success Center)	127	3.01	139	2.99	149	3.15	155	3.05	133	3.17	703	2.48
Leisure Areas (benches, picnic tables, etc.)	135	2.68	149	2.66	167	2.80	173	2.64	157	2.79	781	2.15
Sidewalks	152	2.93	161	2.92	179	2.98	183	2.99	173	2.91	848	2.35
Stairways	122	2.93	122	3.02	135	3.04	141	3.06	138	2.95	658	2.38
Campus signs/maps	147	2.59	152	2.63	174	2.63	173	2.72	167	2.70	813	2.10
Sustainability and environmental responsibility	115	2.36	134	2.38	148	2.47	142	2.30	148	2.42	687	1.87
	1155	2.76	1218	2.77	1374	2.83	1375	2.78	1305	2.60	6427	2.22

Quality of Accessibility for Persons with Disabilities	2014 Response		2015 Response		2016 Response		2017 Response		2018 Response		2014-2018 Avg Response	
	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg
Accessibility of TVCC buildings for persons with disabilities	137	2.66	137	2.58	161	2.72	159	2.75	147	2.71	741	2.15
Adequacy of classroom furniture for persons with disabilities	117	2.43	113	2.44	131	2.65	127	2.58	119	2.67	607	2.03
Adequacy of classroom equipment for persons with disabilities	111	2.46	107	2.46	127	2.65	122	2.55	114	2.73	581	2.04
	365	2.53	357	2.50	419	2.68	408	2.64	380	2.70	1929	2.08

Scale
4 (Excellent) through 1 (Poor)

Response Counts exclude questions not answered or answered with "Don't Know/Don't Use"

2014-2018 Physical Resources Facilities Employee Survey

Quality of Safety, Security, and Emergency Preparedness	2014 Response		2015 Response		2016 Response		2017 Response		2018 Response		2014-2018 Avg Response	
	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg
Adequacy of the lighting during the day	165	3.24	167	3.23	186	3.37	188	3.32	175	3.35	881	2.64
Adequacy of the lighting during the night	148	2.61	144	2.50	162	2.69	162	2.70	156	2.67	772	2.10
Access to safety and emergency equipment	152	2.75	154	2.64	175	2.90	173	2.79	170	2.91	824	2.20
Adequacy of the safety and security of your building	158	2.56	160	2.51	184	2.84	181	2.71	176	2.86	859	2.12
Is the number of security personnel adequate	140	2.45	145	2.45	171	2.69	168	2.70	162	2.88	786	2.05
	763	2.73	770	2.68	878	2.91	872	2.85	839	2.94	4122	2.23

Quality of Assessment and Planning	2014 Response		2015 Response		2016 Response		2017 Response		2018 Response		2014-2018 Avg Response	
	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg
Process for evaluating facilities use	115	2.66	118	2.61	134	2.66	122	2.69	124	2.76	613	2.12
Opportunities to participate in facilities planning	105	2.28	113	2.25	127	2.42	118	2.34	121	2.46	584	1.84
Effectiveness of planning and prioritization for equipment and facilities	111	2.41	115	2.25	131	2.37	114	2.36	119	2.45	590	1.87
	331	2.46	346	2.37	392	2.49	354	2.47	364	1.97	1787	1.95

	2014 Response		2015 Response		2016 Response		2017 Response		2018 Response		2014-2018 Avg Response	
	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg	# Responses	Response Avg
If you experienced an emergency on campus, please rate the security personnel	59	2.92	64	2.94	70	3.23	49	3.35	57	3.25	299	2.51
How familiar are you with TVCCs Emergency Procedures	151	2.44	154	2.53	181	2.86	176	2.69	170	2.87	832	2.10
	210	2.57	218	2.65	251	2.96	225	2.83	227	2.97	1131	2.21

Scale
4 (Excellent) through 1 (Poor)

Response Counts exclude questions not answered or answered with "Don't Know/Don't Use"